



04 Health procedures

04.1 Accidents and emergency treatment

Person responsible for checking and stocking first aid box: *On site Manager*

The setting provides care for children and promotes health by ensuring emergency and first aid treatment is given as required. There are also procedures for managing food allergies in section 03 Food safety and nutrition.

- Parents' consent to emergency medical treatment consent on registration.
- At least one person who has a current paediatric first aid (PFA) certificate **must** be on the premises and available at all times, when children are present [or all staff are paediatric first aiders], who regularly update their training. We take account the number of children, staff, staff breaks and the layout of our setting to ensure that a paediatric first aider is always available and are able to respond to emergencies.
- First Aid certificates are renewed at least every three years. In line with the EYFS 2024 all staff who obtained a level 2 and/or level 3 qualification since 30 June 2016 must obtain a PFA qualification within three months of starting work in order to be counted in ratios.
- All members of staff know the location of First Aid boxes, the contents of which are in line with St John's Ambulance recommendations as follows:
 - 20 individually wrapped sterile plasters (assorted sizes)
 - 2 sterile eye pads
 - 4 individually wrapped triangular bandages (preferably sterile)
 - 6 safety pins
 - 2 large, individually wrapped, sterile, un-medicated wound dressings
 - 6 medium, individually wrapped, sterile, un-medicated wound dressings
 - a pair of disposable gloves
 - adhesive tape
 - a plastic face shield (optional)
- No other item is stored in a First Aid box.
- Vinyl single use gloves are also kept near to (not in) the box, as well as a thermometer.
- There is a named person in the setting who is responsible for checking and replenishing the First Aid Box contents.
- A supply of ice is kept in the milk kitchen and main kitchen fridges.



- For minor injuries and accidents, First Aid treatment is given by a qualified first aider; the event is recorded in the setting's Accident Record book or digital recording system. Parents may have a photocopy of the accident form on request.
- In the event of minor injuries or accidents, parents are normally informed when they collect their child, unless the child is unduly upset or members of staff have any concerns about the injury. In which case they will contact the parent for clarification of what they would like to do, i.e. collect the child or take them home and seek further advice from NHS 111.

Serious accidents or injuries

- An ambulance is called for children requiring emergency treatment.
- First aid is given until the ambulance arrives on scene. If at any point it is suspected that the child has died, 06.07 Death of a child on site procedure is implemented and the police are called immediately.
- The registration form is taken to the hospital with the child.
- Parents or carers are contacted and informed of what has happened and where their child is being taken to.
- The setting manager arranges for a taxi to take the child and carer to hospital for further checks, if deemed to be necessary.

Recording and reporting

- In the event of a serious accident, injury, or serious illness, the setting manager notifies the owner/trustees/committee using 6.1c Confidential Safeguarding Incident report form, or other agreed reporting format, as soon as possible.
- If required, a RIDDOR form is completed; one copy is sent to the parent, one for the child's file and one for the local authority Health and Safety Officer.
- The owners//trustees/committee are notified by the setting manager of any serious accident or injury to, or serious illness of, or the death of, any child whilst in their care in order to be able to notify Ofsted and any advice given will be acted upon. Notification to Ofsted is made as soon as is reasonably practicable and always within 14 days of the incident occurring. The designated person will, after consultation with the owners/directors/trustees, inform local child protection agencies of these events

Further guidance

[Accident Record](#) (Alliance Publication)



04 Health procedures

04.2a Health care plan

Please note that this form must be used alongside the individual child's registration form which contains emergency parental contact and other personal details.

Name of Child	
Date of Birth	
Child's address	
Contact information for family or main carers	
1.Name	
Relationship to child	
Contact numbers	
2. Name	
Relationship to child	
Contact numbers	
Medical diagnosis, condition or allergy	
Clinic or Hospital contact	
Name	
Phone no.	
GP/Doctor	
Name	
Phone No.	

Describe medical needs and give details of symptoms



Risk assessment completed?

If no, please state why?

If yes please include details here

Date completed:

Daily care requirements e.g. before meals/going outdoors

Describe what constitutes an emergency for the child and what actions are to be taken if this occurs

Name/s of staff responsible for an emergency situation with this child

Parent/carer and person completing this form must sign below to indicate that the information in this plan is accurate and the parent/carer agrees for any relevant procedures to be carried out

Parent's name	Signature	Date
Key person's name	Signature	Date



Setting Manager's name	Signature	Date
------------------------	-----------	------

For children requiring lifesaving or invasive medication and/or care, for example, rectal diazepam, adrenaline injectors, Epipens, Anapens, JextPens, maintaining breathing apparatus, changing colostomy or feeding tubes, approval must be received from the child's GP/consultant, as follows:

I have read the information in this Individual Health Plan and have found it to be accurate.

Name of GP/consultant:		Date:	
Signature:			

Review completed (at least every six months)

Parent's name	Signature	Date
Key person's name	Signature	Date
Setting manager's name	Signature	Date

Copies circulated to:

Parents

Child's personal records (with registration form)

GP/Consultant – if required



04 Health procedures

04.3 Life-saving medication and invasive treatments

Life-saving medication and invasive treatments may include adrenaline injections (Epipens) for anaphylactic shock reactions (caused by allergies to nuts, eggs etc) or invasive treatment such as rectal administration of Diazepam (for epilepsy).

- The key person responsible for the intimate care of children who require life-saving medication or invasive treatment will undertake their duties in a professional manner having due regard to the procedures listed above.
- The child's welfare is paramount, and their experience of intimate and personal care should be positive. Every child is treated as an individual and care is given gently and sensitively; no child should be attended to in a way that causes distress or pain.
- The key person works in close partnership with parents/carers and other professionals to share information and provide continuity of care.
- Children with complex and/or long-term health conditions have a health care plan (04.2a) in place which takes into account the principles and best practice guidance given here.
- Key persons have appropriate training for administration of treatment and are aware of infection control best practice, for example, using personal protective equipment (PPE).
- Key persons speak directly to the child, explaining what they are doing as appropriate to the child's age and level of comprehension.
- Children's right to privacy and modesty is respected. Another educator is usually present during the process.

Record keeping

For a child who requires invasive treatment the following must be in place from the outset:

- a letter from the child's GP/consultant stating the child's condition and what medication if any is to be administered
- written consent from parents allowing members of staff to administer medication
- proof of training in the administration of such medication by the child's GP, a district nurse, children's nurse specialist or a community paediatric nurse
- a healthcare plan (04.2a)

Copies of all letters relating to these children must be sent to the insurance provider for appraisal. Confirmation will then be issued in writing confirming that the insurance has been extended. A record is made in the medication record book of the intimate/invasive treatment each time it is given.



Physiotherapy

- Children who require physiotherapy whilst attending the setting should have this carried out by a trained physiotherapist.
- If it is agreed in the health care plan that the key person should undertake part of the physiotherapy regime then the required technique must be demonstrated by the physiotherapist personally; written guidance must also be given and reviewed regularly. The physiotherapist should observe the educator applying the technique in the first instance.

Safeguarding/child protection

- Educators recognise that children with SEND are particularly vulnerable to all types of abuse, therefore the safeguarding procedures are followed rigorously.
- If an educator has any concerns about physical changes noted during a procedure, for example unexplained marks or bruising then the concerns are discussed with the designated person for safeguarding and the relevant procedure is followed.

Treatments such as inhalers or Epi-pens must be immediately accessible in an emergency.



04 Health procedures

04.4 Allergies and food intolerance

When a child starts at the setting, parents are asked if their child has any known allergies or food intolerance. This information is recorded on the registration form.

- If a child has an allergy or food intolerance, 01.1a Generic risk assessment form is completed with the following information:
 - the risk identified – the allergen (i.e. the substance, material or living creature the child is allergic to such as nuts, eggs, bee stings, cats etc.)
 - the level of risk, taking into consideration the likelihood of the child coming into contact with the allergen
 - control measures, such as prevention from contact with the allergen
 - review measures
- 04.2a Health care plan form must be completed with:
 - the nature of the reaction e.g. anaphylactic shock reaction, including rash, reddening of skin, swelling, breathing problems etc.
 - managing allergic reactions, medication used and method (e.g. EpiPen)
- The child's name is added to the Dietary Requirements list.
- A copy of the risk assessment and health care plan is kept in the child's personal file and is shared with all staff and is also kept in the cook's Food Allergy and Dietary Needs file.
- Parents show staff how to administer medication in the event of an allergic reaction.
- Generally, no nuts or nut products are used within the setting.
- Parents are made aware, so that no nut or nut products are accidentally brought in.
- Any foods containing food allergens are identified on children's menus.

Oral Medication

- Oral medication must be prescribed or have manufacturer's instructions written on them.
- Staff must be provided with clear written instructions for administering such medication.
- All risk assessment procedures are adhered to for the correct storage and administration of the medication.
- The setting must have the parents' prior written consent. Consent is kept on file.

For other life-saving medication and invasive treatments please refer to 04.2 Administration of medicine.



04 Health procedures

04.5 Poorly children

- If a child appears unwell during the day, for example has a raised temperature, sickness, diarrhoea* and/or pains, particularly in the head or stomach then the setting manager calls the parents and asks them to collect the child or send a known carer to collect on their behalf.
- If a child has a raised temperature, they are kept cool by removing top clothing, sponging their heads with cool water and kept away from draughts.
- A child's temperature is taken and checked regularly, using a thermometer.
- **If a baby's temperature does not go down, and is worryingly high, then Calpol may be given after gaining verbal consent from the parent where possible. This is to reduce the risk of febrile convulsions, particularly for babies under 2 years old. Parents sign the medication record when they collect their child.****
- In an emergency an ambulance is called and the parents are informed.
- Parents are advised to seek medical advice before returning them to the setting; the setting can refuse admittance to children who have a raised temperature, sickness and diarrhoea or a contagious infection or disease.
- Where children have been prescribed antibiotics for an infectious illness or complaint, parents are asked to keep them at home for 48 hours.
- After diarrhoea or vomiting, parents are asked to keep children home for 48 hours following the last episode.
- Some activities such as sand and water play and self-serve snack will be suspended for the duration of any outbreak.
- The setting has information about excludable diseases and exclusion times.
- The setting manager notifies the owner/trustees/directors if there is an outbreak of an infection (affects more than 3-4 children) and keeps a record of the numbers and duration of each event.
- The setting manager has a list of notifiable diseases and contacts the UK Health Security Agency (UKHSA) and Ofsted in the event of an outbreak.
- If staff suspect that a child who falls ill whilst in their care is suffering from a serious disease that may have been contracted abroad such as Ebola, immediate medical assessment is required. The setting manager or deputy calls NHS111 and informs parents.



HIV/AIDS procedure

HIV virus, like other viruses such as Hepatitis, (A, B and C), are spread through body fluids. Hygiene precautions for dealing with body fluids are the same for all children and adults.

- Single use vinyl gloves and aprons are worn when changing children's nappies, pants and clothing that are soiled with blood, urine, faeces or vomit.
- Protective rubber gloves are used for cleaning/slucing clothing after changing.
- Soiled clothing is bagged for parents to collect.
- Spills of blood, urine, faeces or vomit are cleared using mild disinfectant solution and mops; cloths used are disposed of with clinical waste.
- Tables and other furniture or toys affected by blood, urine, faeces or vomit are cleaned using a disinfectant.
- Baby mouthing toys are kept clean and plastic toys cleaned in sterilising solution regularly.

Nits and head lice

- Nits and head lice are not an excludable condition; although in exceptional cases parents may be asked to keep the child away from the setting until the infestation has cleared.
- On identifying cases of head lice, all parents are informed and asked to treat their child and all the family, using current recommended treatments methods if they are found.

*Diarrhoea is defined as 3 or more liquid or semi-liquid stools in a 24-hour period. (www.gov.uk/government/publications/health-protection-in-schools-and-other-childcare-facilities/chapter-9-managing-specific-infectious-diseases#diarrhoea-and-vomiting-gastroenteritis)

**Paracetamol based medicines (e.g. Calpol)

The use of paracetamol-based medicine may not be agreed in all cases. A setting cannot take bottles of non-prescription medicine from parents to hold on a 'just in case' basis unless there is an immediate reason for doing so. Settings do not normally keep such medicine on the premises as they are not allowed to 'prescribe'. However, given the risks to very young babies of high temperatures, insurers may allow minor infringement of the regulations as **the risk of not administering may be greater. Ofsted is normally in agreement with this. In all cases, parents of children under two years must sign to say they agree to the setting administering paracetamol-based medicine in the case of high temperature on the basis that they are on their way to collect.** Such medicine should never be used to reduce temperature so that a child can stay in the care of the setting for a normal day. The use of emergency medicine does not apply to children over 2 years old. A child over two who is not well, and has a temperature, must be kept cool and the parents asked to collect straight away.



Whilst the brand name Calpol is referenced, there are other products which are paracetamol or Ibuprofen based pain and fever relief such as Nurofen for children over 3 months.

Further guidance

[Good Practice in Early Years Infection Control](#) (Alliance Publication)

[Medication Administration Record](#) (Alliance Publication)

Guidance on infection control in schools and other childcare settings (Public Health Agency) https://www.publichealth.hscni.net/sites/default/files/Guidance_on_infection_control_in%20schools_poster.pdf



04 Health procedures

04.05a Infection control

Good practice infection control is paramount in early years settings. Young children's immune systems are still developing, and they are therefore more susceptible to illness.

Prevention

- Minimise contact with individuals who are unwell by ensuring that those who have symptoms of an infectious illness do not attend settings and stay at home for the recommended exclusion time (see below UKHSA link).
- Always clean hands thoroughly, and more often than usual where there is an infection outbreak.
- Ensure good respiratory hygiene amongst children and staff by promoting 'catch it, bin it, kill it' approach.
- Where necessary, for instance, where there is an infection outbreak, wear appropriate PPE.

Response to an infection outbreak

- Manage confirmed cases of a contagious illness by following the guidance from the [UK Health Security Agency \(UKHSA\)](#)

Informing others

Early years providers have a duty to inform Ofsted of any serious accidents, illnesses or injuries as follows:

- anything that requires resuscitation
- admittance to hospital for more than 24 hours
- a broken bone or fracture
- dislocation of any major joint, such as the shoulder, knee, hip or elbow
- any loss of consciousness
- severe breathing difficulties, including asphyxia
- anything leading to hypothermia or heat-induced illness

In some circumstances this may include a confirmed case of a Notifiable Disease in their setting, if it meets the criteria defined by Ofsted above. Please note that it is not the responsibility of the setting to diagnose a notifiable disease. This can only be done by a clinician (GP or Doctor). If a child is displaying symptoms that indicate they may be suffering from a notifiable disease, parents must be advised to seek a medical diagnosis, which will then be 'notified' to the relevant body. Once a diagnosis is confirmed, the setting may be contacted by the UKHSA, or may wish to contact them for further advice.



Further guidance

[Good Practice in Early Years Infection Control](#) (Alliance Publication)



04. Health procedures

04.06 Oral health

The setting provides care for children and promotes health through promoting oral health and hygiene, encouraging healthy eating, healthy snacks and tooth brushing.

- Fresh drinking water is available at all times and easily accessible.
- Sugary drinks are not served.
- In partnership with parents, babies are introduced to an open free-flowing cup at 6 months and from 12 months are discouraged from using a bottle.
- Only water and milk are served with morning and afternoon snacks.
- Children are offered healthy nutritious snacks with no added sugar.
- Parents are discouraged from sending in confectionary as a snack or treat.
- Staff follow the Infant & Toddler Forum's Ten Steps for Healthy Toddlers.

Where children clean their teeth when at the setting

- Children are encouraged to brush their teeth as part of the daily routine. Teeth should not be cleaned for at least one hour after a meal as this can cause loss of enamel.
- Each child has their own toothbrush, which is stored individually to prevent accidental contact and cross contamination.
- A small amount of toothpaste is put onto a blue paper towel before applying to the brush to prevent cross contamination.
- Toothbrushes are cleaned at each session and sterilised weekly in Milton or similar disinfecting fluid.
- Toothbrushes are changed every three months and provided by parents.
- Oral hygiene activities are included in planning at least every three months when toothbrushes are changed.
- The setting co-ordinates with local oral health and ensure procedures are reviewed regularly, additional guidance from the local team may be added to this procedure.

Pacifiers/dummies

- Parents are *advised* to stop using dummies/pacifiers once their child is 12 months old.
- Dummies that are damaged are disposed of and parents are told that this has happened

Further guidance



Infant & Toddler Forum: Ten Steps for Healthy Toddlers www.infantandtoddlerforum.org/toddlers-to-preschool/healthy-eating/ten-steps-for-healthy-toddlers/



04 Health procedures

04.7 Baby and child massage

It is recognised that massage is beneficial for babies and young children, promoting relaxation of mind and body, as well as other benefits. The best people to massage babies and young children are their parents and opportunity to learn to do this should be available. While children can benefit from this in day care, concerns about children's personal safety mean that it should only be done under strict conditions.

If babies and young children are massaged in the setting the following conditions are met:

- Members of staff carrying out massage are qualified or have had some training by a qualified person and are aware of contra-indications (a medical condition that may restrict or prevent a treatment being carried out).
- Parental consent is obtained, and contra-indications checked and signed by parents. Any contra-indications would mean a child is not to be massaged unless the parents gain agreement from a GP.
- Massage sessions are planned, organised and supervised so that they fit into the daily routine.
- Massage carried out by a single member of staff is never undertaken away from the group.
- Babies remain clothed in vest and nappy; young children wear vest and shorts.
- Rooms are warm and draught free; noise is at a minimum; rest period is a good time.
- Massage only takes place on hands, arms, shoulders, neck, head, feet and lower legs.
- Children's consent for massage is sought and their preferences are respected.
- Young children can be taught to massage each other's hands, feet and heads.
- Massage is empowering and educative; it should be undertaken in conjunction with educating children about body awareness, 'good and bad touches', recognition of tension; development of their own sensitivity to touch.
- Confirmation is received from the insurance provider to ensure these activities can take place.